





ROCKET ESPRESSO

Rocket Espresso produces the finest espresso machines in the tradition of 'Fatto a Mano' translated to, 'made by hand'.

Our small team of craftsmen produce both premium domestic and commercial espresso

machines, beautifully made with meticulous care and attention to detail.

More importantly, Rocket Espresso machines will deliver the finest espresso in the cup, time after time.

A partnership between
New Zealander Andrew Meo and
Italian Daniele Berenbruch who
bring philosophies from opposing
sides of the world into their Milan
factory to make the best espresso
machines they possibly can.



R 60V

R 60V has a unique pressure profiling system.

Traditionally 9 bar of pump pressure extracts the flavours and oils from the coffee to produce espresso. The R 60V with a unique pressure profile system allows further enhancement in the cup with the ability to fine tune pump pressure over the course of the extraction.

The Rocket Espresso pressure profiling system uses a five step approach to allow the extraction to be split into five different time intervals, each allowing for a different pressure to be programmed, making it possible to both ramp up or ramp down pump pressure depending on the coffee type and flavours being chased.

The Rocket Espresso communication pod allows adjustments to be made through a remote controller or through the machine wifi system which will display real time temperatures, pressures and extraction times.

Dual boiler and PID controlled.
Rotary pump with water reservoir or direct water connection.



R 60V FEATURES

- Dual stainless steel boilers of 0.58 and 1.8 litres
- PID controlled
- Rotary pump pressure profile system
- Rocket Espresso communication pod
- Shot timer
- 2.5 litre water reservoir or direct water connection option
- Full stainless steel chassis
- Height adjustable feet
- Stainless steel cup frame as standard
- · Wattage: 1400 W

DIMENSIONS

- 310 x 440 x 390* mm (width x depth x height)
- Weight: 29.5 kg





^{*}excluding cup frame

R 58

Dual independently operated PID controlled boilers allowing for optimum extraction of any coffee type or roast style. Rocket Espresso inclined boiler technology means precise group temperature adjustment and unprecedented levels of temperature stability.

Commercial grade rotary pump draws from the machines internal water reservoir or allows for the machine to have a direct water connection from the water supply.

Machine functions are controlled from the Rocket Espresso communication pod that plugs into the side of the R 58. The pod can be removed to preserve the style of the machine that is Rocket Espresso.



R 58 FEATURES

- Dual boilers of 0.58 and 1.8 litres
- PID controlled
- Rotary pump
- Rocket Espresso communication pod
- 2.5 litre water reservoir or direct water connection option
- Height adjustable feet
- Stainless steel cup frame as standard
- Wattage: 1400 W

DIMENSIONS

- 310 x 440 x 385* mm (width x depth x height)
- Weight: 29.0 kg

*excluding cup frame





Giotto & Mozzafiato Evoluzione R (now with PID)

Features taken directly from our commercial espresso machine range give the Evoluzione machines superior technology that is normally only found in full sized commercial espresso machines.

Now with PID temperature control, insulated boilers and the Rocket Espresso 9 mm boiler end plates, stability and temperature control is further enhanced.

The use of a rotary pump ensures quiet yet robust pump performance and allows the user to have the machine draw water from the internal machine reservoir or alternatively connect the machine directly to the water supply.

The Evoluzione machines are offered in two different body styles, the Giotto or the Mozzafiato.




EVOLUZIONE R FEATURES

- Heat exchanger boiler design
- PID control for greater temperature stability
- Boiler capacity: 1.80 litres
- Full sized commercial rotary pump
- 2.5 litre water reservoir or direct water connection option
- Height adjustable feet
- Stainless steel cup frame as standard
- Wattage: 1200 W

DIMENSIONS

- Giotto; 335 x 420 x 400* mm (width x depth x height)
 Weight 27.8 kg
 *425 mm height with cup frame
- Mozzafiato; 280 x 425 x 400 mm (width x depth x height)
 Weight 30.2 kg





Giotto & Mozzafiato Type v (PID controlled)

The Type v model is offered in two different body styles, both with heat exchanger PID temperature control technology.

Temperature control is optimised through a PID controller drawing on 4 different signal parameters to ensure stability and optimum results in the cup.

An adjustable temperature display allows the user to select individual brewing temperatures for different coffee types and roast styles.

The Giotto and Mozzafiato Type v machines introduce users to the Rocket Espresso movement for better espresso in the home without compromise.



TYPE v FEATURES

- Heat exchanger boiler design
- Boiler capacity: 1.80 litres
- Vibration pump
- 2.5 litre water reservoir
- PID control for greater temperature stability
- Height adjustable feet
- Stainless steel cup frame as standard
- Wattage: 1200 W

DIMENSIONS

- Giotto; 335 x 420 x 400* mm (width x depth x height)
 Weight 23.0 kg
 *425 mm height with cup frame
- Mozzafiato; 280 x 425 x 400 mm (width x depth x height)
 Weight 25.4 kg







Pg 8

Appartamento

The Appartamento is a compact espresso machine designed for environments where space is at a premium.

Rocket engineers optimised the chassis and layout of the internal components without compromising on the quality and features you expect from Rocket Espresso.


Available with white or copper circular side panel inserts.

APPARTAMENTO FEATURES

- Heat exchanger boiler design
- Boiler capacity: 1.80 litres
- Vibration pump
- 2.5 litre water reservoir
- Wattage: 1200 W

DIMENSIONS

- 274 x 425 x 360* mm (width x depth x height)
- Weight: 20.0 kg
- *including cup frame







Macinatore Fausto

The Fausto grinder brings all of the features and functionality professional baristas love to the kitchen, but in a more compact form.

Equipped with commercial quality 65 mm flat burrs, FAUSTO grinds quickly and accurately with easy to dial in stepless grinding.

The digital display with shot counter and programmable dual control buttons allows for quick adjustments and effortless portion control.

Polished silver or matte black finishing options to perfectly compliment your espresso machine.

DIMENSIONS

- 172 x 282 x 445* mm (width x depth x height)
- Weight: 11.5 kg

*includes bean container



FAUSTO FEATURES

- Grinding: On Demand
- Portion control: 2 automatic portions (single and double)
- Manual continuous grinding
- Display: Digital display with shot counter (partial and continuous)
- Grinding setting: Micrometrical, stepless
- Bean container: 600 g
- Grinding blades: Plane 65 mm diameter - tempered steel
- Grinding capacity: 1.6 g to 2.9 g / second
- Motor: 230V / 50 or 115V / 60
 500 W single phase, RPM 1,360
- Bodywork: Die cast aluminium





Pa 12

Accessories










Technical Specifications

MODEL	PRESSURE PROFILE SYSTEM	PID PRESSURE CONTROL	TOTAL BOILER CAPACITY (litres)	WATER FEED		WATTAGE	WIDTH MM	DEPTH MM	HEIGHT MM	WEIGHT KG
				HARD PLUMBING	RESERVOIR	WATTAGE	WIDTHIMM	DEPTH MM	HEIGHT MM	WEIGHT KG
R 60V	Yes	Yes	2.38 (1.8+0.58)	Yes	Yes	1400 W	310	440	390	29.5
R 58		Yes	2.38 (1.8+0.58)	Yes	Yes	1400 W	310	440	385	29.0
Giotto Evoluzione R		Yes	1.80	Yes	Yes	1200 W	335	420	400	27.8
Mozzafiato Evoluzione R		Yes	1.80	Yes	Yes	1200 W	280	425	400	30.2
Giotto Type v		Yes	1.80	No	Yes	1200 W	335	420	400	23.0
Mozzafiato Type v		Yes	1.80	No	Yes	1200 W	280	425	400	25.4
Appartamento		No	1.80	No	Yes	1200 W	274	425	360	20.0



R 60V













R 58

GIOTTO EVOLUZIONE R

MOZZAFIATO EVOLUZIONE R

MOZZAFIATO TYPE v

APPARTAMENTO



ROCKET ESPRESSO LIMITED Via Curiel 13 20060 Liscate Milan, Italy

+39 02 953 513 34 www.rocket-espresso.com